








正齒輪 M1型

SPUR GEARS <M1>


	U圓孔(aperture) T圓孔(aperture)+攻牙(TAP) TG NEWS JIS KEY WAY+TAP TG 新JIS鍵槽+攻牙			Type	材質	表面處理
				GSSD	S45C	染黑
				GSSZ	S45C	鍍鋅
				GSSN	S45C	鍍鎳
				GSSC	S45C	鍍鉻
				GSSH	S45C	無電解鍍
				GSSS	SUS303	電解

齒輪形狀：	D形	A形	B形
			

齒輪形狀： D形

A形

B形



Catalog No.		齒數	齒寬	形狀	軸孔徑Dh7			d	D	H	L	L1	L2	M			
Type	模數				A	D	B										
					U.T孔	U孔	U.T孔										
GSSD GSSZ GSSN GSSC GSSH GSSS	M1	12	12	D	6~8	6~8	—	12	14	14	30	18	5	M4			
		13			6~10	6~10		13	15	15					25	17	4
		14	8					12	12	14	16	16	30	18	5	M5	
		15	8							15	17	17	25	17	4	M4	
		16	12		6~12	6~12				16	18	18	30	18	5	M5	
		17	8		8~12	8~12		17	19	19	25	17	4	M4			
		18	12					18	20	20	30	18	5	M5			
		19	8		A B	6~10		6~10	6~10	19	21	16	25	17	8	4	M4
		20	12			6~14		6~14	8~10	20	22		16	18			
		21	8			6~12		6~15	6~12	21	23		18	16			
		22	12	8~15			8~12	22	24	16	20						
		23	8	6~16			6~12	23	25	20	16	20					
		24	12	8~16			8~12	24	26		16	20					
		25	8	6~17			6~12	25	27		16	20					
		26	12	8~17			8~12	26	28		16	20					
		27	8	6~15			6~18	6~12	27	29	24	16	20				
		28	12				8~18	8~12	28	30		16	20				
		29	8			6~19	6~12	29	31	26		16	20				
		30	12			8~19	8~12	30	32			16	20				
		31	8	6~20		6~15	31	33	28		16	20					
		32	12	8~20		8~15	32	34			16	20					
		33	8	6~21		6~15	33	35		30	16	20					
		34	12	8~21		8~15	34	36			16	20					
		35	8	6~22		6~17	35	37	32		16	20					
		36	12	10~22		10~17	36	38			16	20					
		37	8	6~18		6~23	6~17	37		39	34	16	20				
		38	12			8~23	8~17	38		40		16	20				
		39	8			6~24	6~17	39	41	36		16	20				
		40	12			10~24	10~17	40	42			16	20				
		41	8			6~25	6~17	41	43		38	16	20				
		42	12			8~25	8~17	42	44			16	20				
		43	8			6~26	6~17	43	45	40		16	20				
		44	12			10~26	10~17	44	46			16	20				
		45	8	6~27		6~17	45	47	42		16	20					
		46	12	8~27		8~17	46	48			16	20					
		47	8	6~28		6~17	47	49		44	16	20					
		48	12	10~28		10~17	48	50			16	20					
		49	8	6~29		6~17	49	51	46		16	20					
		50	12	8~29		8~17	50	52			16	20					
		51	8	6~30		6~17	51	53		48	16	20					
		52	12	10~30		10~17	52	54			16	20					
		53	8	6~31		6~17	53	55	50		16	20					
		54	12	8~31		8~17	54	56			16	20					
		55	8	6~32		6~17	55	57		52	16	20					
		56	12	10~32		10~17	56	58			16	20					
		57	8	6~33		6~17	57	59	54		16	20					
		58	12	8~33		8~17	58	60			16	20					
		59	8	6~34		6~17	59	61		56	16	20					
		60	12	10~34		10~17	60	62			16	20					
		61	8	6~35		6~17	61	63	58		16	20					
		62	12	8~35		8~17	62	64			16	20					
		63	8	6~36		6~17	63	65		60	16	20					
		64	12	10~36		10~17	64	66			16	20					
65	8	6~37	6~17	65	67	62	16	20									
66	12	8~37	8~17	66	68		16	20									
67	8	6~38	6~17	67	69		64	16	20								
68	12	10~38	10~17	68	70			16	20								
69	8	6~39	6~17	69	71	66		16	20								
70	12	8~39	8~17	70	72			16	20								
71	8	6~40	6~17	71	73		68	16	20								
72	12	10~40	10~17	72	74			16	20								
73	8	6~41	6~17	73	75	70		16	20								
74	12	8~41	8~17	74	76			16	20								
75	8	6~42	6~17	75	77		72	16	20								
76	12	10~42	10~17	76	78			16	20								
77	8	6~43	6~17	77	79	74		16	20								
78	12	8~43	8~17	78	80			16	20								
79	8	6~44	6~17	79	81		76	16	20								
80	12	10~44	10~17	80	82			16	20								
81	8	6~45	6~17	81	83	78		16	20								
82	12	8~45	8~17	82	84			16	20								
83	8	6~46	6~17	83	85		80	16	20								
84	12	10~46	10~17	84	86			16	20								
85	8	6~47	6~17	85	87	82		16	20								
86	12	8~47	8~17	86	88			16	20								
87	8	6~48	6~17	87	89		84	16	20								
88	12	10~48	10~17	88	90			16	20								
89	8	6~49	6~17	89	91	86		16	20								
90	12	8~49	8~17	90	92			16	20								
91	8	6~50	6~17	91	93		88	16	20								
92	12	10~50	10~17	92	94			16	20								
93	8	6~51	6~17	93	95	90		16	20								
94	12	8~51	8~17	94	96			16	20								
95	8	6~52	6~17	95	97		92	16	20								
96	12	10~52	10~17	96	98			16	20								
97	8	6~53	6~17	97	99	94		16	20								
98	12	8~53	8~17	98	100			16	20								
99	8	6~54	6~17	99	101		96	16	20								
100	12	10~54	10~17	100	102			16	20								
101	8	6~55	6~17	101	103	98		16	20								
102	12	8~55	8~17	102	104			16	20								
103	8	6~56	6~17	103	105		100	16	20								
104	12	10~56	10~17	104	106			16	20								
105	8	6~57	6~17	105	107	102		16	20								
106	12	8~57	8~17	106	108			16	20								
107	8	6~58	6~17	107	109		104	16	20								
108	12	10~58	10~17	108	110			16	20								
109	8	6~59	6~17	109	111	106		16	20								
110	12	8~59	8~17	110	112			16	20								
111	8	6~60	6~17	111	113		108	16	20								
112	12	10~60	10~17	112	114			16	20								
113	8	6~61	6~17	113	115	110		16	20								
114	12	8~61	8~17	114	116			16	20								
115	8	6~62	6~17	115	117		112	16	20								
116	12	10~62	10~17	116	118			16	20								
117	8	6~63	6~17	117	119	114		16	20								
118	12	8~63	8~17	118	120			16	20								
119	8	6~64	6~17	119	121		116	16	20								
120	12	10~64	10~17	120	122			16	20								
121	8	6~65	6~17	121	123	118		16	20								
122	12	8~65	8~17	122	124			16	20								
123	8	6~66	6~17	123	125		120	16	20								
124	12	10~66	10~17	124	126			16	20								
125	8	6~67	6~17	125	127	122		16	20								
126	12	8~67	8~17	126	128			16	20								
127	8	6~68	6~17	127	129		124	16	20								
128	12	10~68	10~17	128	130			16	20								
129	8	6~69	6~17	129	131	126		16	20								
130	12	8~69	8~17	130	132			16	20								
131	8	6~70	6~17	131	133		128	16	20								
132	12	10~70	10~17	132	134			16	20								
133	8	6~71	6~17	133	135	130		16	20								
134	12	8~71	8~17	134	136			16	20								
135	8	6~72	6~17	135	137		132	16	20								
136	12	10~72	10~17	136	138			16	20								
137	8	6~73	6~17	137	139	134		16	20								
138	12	8~73	8~17	138	140			16	20								
139	8	6~74	6~17	139	141		136	16	20								
140	12	10~74	10~17	140	142			16	20								
141	8	6~75	6~17	141	143	138		16	20								
142	12	8~75	8~17	142	144			16	20								
143	8	6~76	6~17	143	145		140	16	20								
144	12	10~76	10~17	144	146			16	20								
145	8	6~77	6~17	145	147	142		16	20								
146	12	8~77	8~17	146	148			16	20								
147	8	6~78	6~17	147	149		144	16	20								
148	12	10~78	10~17	148	150			16	20								
149	8	6~79	6~17	149	151	146		16	20								
150	12	8~79	8~17	150	152			16	20								
151	8	6~80	6~17	151	153		148	16	20								
152	12	10~80	10~17	152	154			16	20								
153	8	6~81	6~17	153	155	150		16	20								
154	12	8~81	8~17	154	156			16	20								
155	8	6~82	6~17	155	157		152	16	20								
156	12	10~82	10~17	156	158			16	20								
157	8	6~83	6~17	157	159	154		16	20								
158	12	8~83	8~17	158	160			16	20								
159	8	6~84	6~17	159	161		156	16	20								
160	12	10~84	10~17	160	162			16	20								
161	8	6~85	6~17	161	163	158		16	20								
162	12	8~85	8~17	162	164			16	20								
163	8	6~86	6~17	163	165		160	16	20								
164	12	10~86	10~17	164	166			16	20								
165	8	6~87	6~17	165	167	162		16	20								
166	12	8~87	8~17	166	168			16	20								
167	8	6~88	6~17	167	169		164	16	20								
168	12	10~88	10~17	168	170			16	20								
169	8	6~89	6~17	169	171	166		16	20								
170	12	8~89	8~17	170	172			16	20								
171	8	6~90	6~17	171	173		168	16	20								
172	12	10~90	10~17	172	174			16	20								
173	8	6~91	6~17	173	175	170		16	20								
174	12	8~91	8~17	174	176			16	20								
175	8	6~92	6~17	175	177		172	16	20								
176	12	10~92	10~17	176	178			16	20								
177	8	6~93	6~17	177	179	174		16	20								
178	12	8~93	8~17	178	180			16	20								
179	8	6~94	6~17	179	181		176	16	20								
180	12	10~94	10~17	180	182			16	20								
181	8	6~95	6														

		42	6	A	6~28	8~36	8~17	42	44	28	16	10	5	M5
			10		6~30	10~36	10~20			30	20			
		44	6		6~28	8~38	8~17	44	46	28	16			
			10		6~30	10~38	10~20			30	20			
		45	6		6~28	8~39	8~17	45	47	28	16			
			10		10~30	10~39	10~20			30	20			
		46	6			8~40	8~20	46	48		16			
			10			10~40	10~20				20			
		48	6		10~40	8~42	8~25	48	50	40	16			
			10		10~44	10~42	10~30			44	20			
		50	6	10~40	8~44	8~25	50	52	40	16				
			10	10~46	10~44	10~30			46	20				
		52	6	10~40	8~46	8~25	52	54	40	16				
			10	10~46	10~46	10~30			46	20				
		60	6	10~44	8~54	8~30	60	62	44	16				
			10	10~50	12~54	12~35			50	20				
		70	6	10~48	10~64	10~35	70	72	48	16				
			10	10~56	12~64	12~40			56	20				
		80	6	10~50	12~74	12~35	80	82	50	16				
			10	10~60	15~74	15~40			60	20				
		100	6	10~50	15~94	15~35	100	102	50	16				
			10	10~60	17~94	17~40			60	20				
		120	6	10~54	15~114	15~35	120	122	54	16				
			10	10~70	17~114	17~40			70	20				

Order
訂貨代號

Catalog No.

GSSSM1

—

齒數

28

—

齒寬

10

—

形狀

B

—

軸孔內徑&加工

T10

註1：如需規格表以外特殊加工，請來電告知。

註2：軸孔配合之鍵槽止付螺絲，請對照


[孔徑鍵槽止付螺絲對照表](#)



孔徑 鍵槽 止付螺絲設計對照表

孔徑&鍵槽尺寸表

dH7	鍵槽寬度bjs9		鍵槽深度	t公差	
8	3	±0.0125	1.4	+ 0.1 0	
9					
10					
11	4	±0.015	1.8		
12					
13					
14	5		2.3		
15					
16					
17	6		2.8		
18					
19					
20	8	±0.018	3.3	+ 0.2 0	
21					
22					
23					
24					
25					
26	10		±0.0215		3.8
28					
29					
30					
31					
32					
33	12	±0.0215			3.8
34					
35					
38					
40					
42					
43	14		±0.0215		3.8
44					
45					
46					
47					
48					
50					



孔徑&止付螺絲對照表

dH7	螺絲規格
4	M3
5	
6	
6.35	
7	
8	M4
9	
10	
11	
12	M5
13	
14	
15	
16	M6
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	M8
28	
29	
30	
31	
32	
33	
34	
35	
37	
38	M10
40	
42	
43	
44	
45	
46	
47	
48	
50	
52	
55	
57	
60	